wlTypeOrFacil ity

									!1					
Branch Status	TargetID facilityName	address	city	COUNTY_NAME	LATITUDE LO	ONGITUDE NRCNumber Of Facility Or S	Spill FacilityOrVesselPOCName	FacilityOrVesselPOC	ity CNumber SpillOrVesse asses	ssmentDt Assessment Type Condition	rmVvlStatus	rmVvIPriority comments This is an update of NRC report numbers 1188748 and 1188749. Response Manager report numbers EPA-NRC-NRC-170829-053 and EPA-NRC-NRC-170829-029, respectively. 365bbl of oil and 76bbl of produced water spilled into floodwaters of Sandies Creek, tributary of the Guadalup River, when the storage tanks on a well pad were displaced due to flood waters. No sheen or		Spiil/Report Date
Alpha Refer to Other Agency (Open)	EPA-NRC-NRC-170909-06 / SANDIES CREEK			DE WITT	29.190887	-97.390186	1189439 MARGARET HUTSON		2813522705 Facility	9/10/2017 Phone Assessment Damaged - No Discharge/Releases	Refer to Other Agency (Open)	residue remains in the area, all contents of the tanks have flowed downstream. Sandies Creek is Non-Emergency approximately 2,400ft from the wel	No photos yet http://www.eparm.net/RMAnalyticalv6/Documents/ViewPhot	8/29/2017
Alpha No pollution Threat (Closed)	EPA-NRC-NRC-170827-025 CONCRETE; ASPHALT; DIRT AND A DITCH	1802 NUECES BAY BLVD.	CORPUS CHRI	ISTI NUECES	27.806274	-97.42	1188516		Facility	9/13/2017 Ground Assessment Operational	No pollution Threat (Closed)	9/13/17 START Garcia and TCEQ Taylor contacted Mr. Galvan regarding private property spill into ditch. Mr Galvan stated that cleanup was conducted. No observed threat, no further action unde ESF 10.		8/27/2017
												9/12/17 START Garcia and TCEQ conducted HazEval and found replaced transformers and pole a facility. No visible spill or containers, only stagnant water. possible spill occurred from transform	t os.aspx?propID=471F2515-882D-4AAD-BFC3-	
Alpha Refer to Other Agency (Closed)	EPA-NRC-NRC-170909-014 FLOOD WATERS	AUSTWELL FISH FARM	AUSTWELL	REFUGIO	28.364149	-96.814944	1189462 BRIAN WHATLEY		3186171874 Facility	9/12/2017 Ground Assessment Damaged - No Discharge/Releases	Refer to Other Agency (Closed)	Non-Emergency with PCBs as reported in initial NRC Report. Refering to TRRC.	2596C64A82BF http://www.eparm.net/RMAnalyticalv6/Documents/ViewPhot os.aspx?propID=D603F89E-D951-4847-BD69-	9/5/2017
Alpha No pollution Threat (Closed)	EPA-NRC-NRC-170909-032 POPANO BAY / ARANSAS BAY	139 SUNRISE DRIVE	ROCKPORT	ARANSAS	27.994987	-97.158483	1189454 BRIAN WHATLEY		3186171874 Facility	9/12/2017 Ground Assessment	No pollution Threat (Closed)	9/12/17 START Garcia and TCEQ Taylor did not find a transformer or spill near a storm drain.	954CF7C953B4&IncidentID=9115B3F8-4219-45C5-B8DC- 2596C64A82BF http://www.eparm.net/RMAnalyticalv6/Documents/ViewPhot os.aspx?propID=E8B461AC-7120-4CA7-A363-	9/5/2017
Alpha No pollution Threat (Closed)	EPA-NRC-NRC-170909-036 STORM DRAIN / LITTLE BAY	1401 TEXAS HIGHWAY 35 NORT	RTH ROCKPORT	ARANSAS			1189456 BRIAN WHATLEY		3186171874 Facility	9/12/2017 Ground Assessment	No pollution Threat (Closed)	Non-Emergency spill observed, no containers observed.	o 164BC72B1E99&IncidentID=9115B3F8-4219-45C5-B8DC- 2596C64A82BF	9/5/2017
Bravo Clean Up Completed (Closed)	UCG-NRC-NRC-170830-009 Blue Cube Operations Bonnie Martinez 979-235-9031	2301 Brazosport Blvd	Freeport	Brazoria			1188629 Bonnie Martinez	979-235-9031	Facility	9/5/2017 Phone Assessment No Damage	Clean Up Completed (Closed)	Non-Emergency Source secured from air release Still burning/smoldering to reduce changes of further spill. All oil contained in teh containment.	No photos yet	8/28/2017
Bravo Clean Up in Progress (Open)	UCG-NRC-NRC-170830-015 Centerpoint Ricky Barger 409-682-6379	16301 West Montgomery Road	d Houston	Harris	29.904603	-95.470246	1188647 Ricky Barger	409-682-6379	Facility	9/5/2017 Phone Assessment	Clean Up in Progress (Open)	Non-Emergency Could take 2-3 months 2 Tanks Destroyed. Total potential discharge of 40,000 gallons of crude glycerine and 80,000 gallons of wet methanol. Minimal cleanup done due to flood waters ande excess mud. Projectir 2 month clean up. EDIT: CLEAN UP STILL IN PROGRESS (9-12-17) CHANGED DATE FROM 9-5-	No photos yet	8/28/2017
Bravo Clean Up in Progress (Open)	UCG-NRC-NRC-170901-007 Channel Biorefinery Wesley McSwain 713-517-6331	13605 Industrial Rd	Houston	Harris	29.755024	-95.186583	1189015 Wesley McSwain	713-517-6331	Facility	9/12/2017 Phone Assessment Damaged - Discharge/Releases	Clean Up in Progress (Open)	Non-Emergency 17.1707 to 9-12-17.1810	No photos yet	9/1/2017
	EDA NDC NDC 470024 027	4420 NODTH WITTER BOAR	DAGADENIA	LIABBIG	20 725522	05 202507 4400550/4400500			F - 111	0.07.0047. Pl		///THIS IS AN UPDATE TO REPORT 1188508/// UPDATED INFORMATION: THE ESTIMATED AMOUNT OF GASOLINE DISCHARGED IS 527 BARRELS INTO THE CONTAINMENT AREA. THE TAN IS BEING PUMPED OUT. ORIGINAL REPORT: CALLER IS REPORTING HEAVY RAIN CAUSED THE FLOATING ROOF OF A STORAGE TANK TO TILT OFF CENTER; WHICH RESULTED IN A DISCHARGE		0/27/2042
Bravo Clean Up Completed (Closed)	EPA-NRC-NRC-170831-027 CONTAINMENT AREA	1420 NORTH WITTER ROAD	PASADENA Calana Bank	HARRIS		-95.203597 1188558/1188508	4400047 Debeut Double ben	204 007 2640	Facility	8/27/2017 Phone Assessment	Clean Up Completed (Closed)	Non-Emergency OF GASOLINE TO A CONTAINMENT DIKE. MATERIAL IS CONTAINED IN THE DIKE. 200 Barrel crude oil discharged to containment dyke wall within a tank farm at 901 Clinton Dr,	No photos yet	8/27/2012
Bravo Clean Up in Progress (Open) Bravo Clean Up Completed (Closed)	UCG-NRC-NRC-170831-007 Enterprise Products Robert Burkhalter 281-887-2640 UCG-NRC-NRC-170830-016 Exxon Mobil Kelly Davis 832-262-3887	901 Clinton Drive 3525 Decker Dr	Galena Park Baytown	Harris	29.746619	-95.013817	1188947 Robert Burkhalter 1188534 Kelly Davis	281-887-2640 832-262-3887	Facility Facility	8/31/2017 Ground Assessment Damaged - Discharge/Releases 8/31/2017 Phone Assessment Spill	Clean Up in Progress (Open) Clean Up Completed (Closed)	Emergency Glena Park 77547 Non-Emergency	No photos yet No photos yet	8/31/2017 8/27/2017
Bravo Clean Up Completed (Closed)	UCG-NRC-NRC-170830-007 Exxon Mobil Baytown	2800 Decker Dr	Baytown	Harris			1188500 Diane Otto	832-514-5579	Facility	8/31/2017 Phone Assessment Spill	Clean Up Completed (Closed)	Non-Emergency CALLER STATED THAT; DUE TO HURRICANE HARVEY THERE WAS A SPILL OF INDUSTRIAL WASTE		8/27/2017
Bravo Assessment Required (Open)	EPA-NRC-NRC-170829-033 FLOOD CONTROL	3892 US HIGHWAY 90W	DAYTON	LIBERTY	30.000096	-94.953086	1188696		Facility	8/29/2017 Phone Assessment	Assessment Required (Open)	Non-Emergency WATER SURFACTANTS AT THE CHEMICAL FACILITY. CALLER REPORTS A DISCHARGE OF APPROXIMATELY TEN GALLONS OF DIESEL ONTO THE GROUND WITH APPROXIMATELY 5 OR 6 GALLONS INTO THE FLOOD WATERS CAUSED BY A DAMAGED GENERATOR PEDESTAL AS A RESULT OF HURRICANE HARVEY. EDITED ON 9-12-17, CHANGED STATUS TO NO POLLUTION THREAT (NO VISIBLE OIL) CHANGED DATE FROM 9-5-	No photos yet	8/29/2017
Bravo No pollution Threat (Closed)	EPA-NRC-NRC-170909-013 FLOOD WATERS	17500 MARKET STREET	CHANNELVIE	W HARRIS	29.790395	-95.080543	1189450 MIKE ADAMS		5047808100 Facility	9/12/2017 Phone Assessment	No pollution Threat (Closed)	Non-Emergency 17.1530 TO 9-12-17.1820 CALLER STATED THAT FLOOD WATERS FROM HURRICANE HARVEY FLOODED VARIOUS TOTES; DRUMS; AND ABOVE GROUND STORAGE TANKS ON THE PROPERTY; CAUSING THE RELEASE OF (No photos yet	9/5/2017
Bravo Assessment Required (Open)	EPA-NRC-NRC-170831-035 FLOOD WATERS	480 CTY ROAD 167	GEORGETOW	/N Williamson	30.665913	-97.572552	1188934		Facility	8/31/2017 Phone Assessment	Assessment Required (Open)	Non-Emergency DIESEL FUEL AND GASOLINE TO THE FLOOD WATERS. CALLER IS REPORTING THAT DUE TO THE HURRICANE; A TRANSFORMER FELL FROM A POLE ANI	No photos yet	8/31/2017
Bravo No pollution Threat (Closed)	EPA-NRC-NRC-170829-039 FLOOD WATERS	500 W OF 26780 FM 2990	SPLENDORA	MONTGOMERY	30.261955	-95.085866	1188753		Facility	8/29/2017 Phone Assessment	No pollution Threat (Closed)	Non-Emergency DISCHARGED NON-PCB TRANSFORMER OIL ON THE FLOOD WATERS.	No photos yet	8/29/2017
												CALLER IS MAKING A REPORT INVOLVING AN ABANDONED 55 GALLON DRUM THAT WAS FOUN FLOATING IN THE MIDDLE OF THE HOUSTON SHIP CHANNEL. CALLER STATES THERE DOES NOT APPEAR TO BE A MATERIAL RELEASE FROM THE DRUM AT THIS TIME. CALLER SUSPECTS THE		
Bravo Assessment Required (Open) Bravo Clean Up Completed (Closed)	EPA-NRC-NRC-170909-019 HOUSTON SHIP CHANNE;L UCG-NRC-NRC-170830-002 Kinder Morgan Pasadena John Powe 281-961-3368	15602 JACINTO PORT BLVD 906 Clinton Dr.	HOUSTON Galena Park	HARRIS Harris		-95.105441 -95.225533	1189442 1188488 John Powe	281-961-3368	Facility Facility	9/10/2017 Phone Assessment 9/1/2017 Phone Assessment Spill	Assessment Required (Open) Clean Up Completed (Closed)	Non-Emergency Non-Emergency ABANDONED DRUM IS A RESULT OF THE FLOODING DEBRIS FROM HURRICANE HARVEY. Non-Emergency A CALLER REPORTED DISCHARGES OF 12 BARRELS OF CRUDE OIL AND 143 BARRELS OF PRODUC WATER INTO NAVASOTA RIVER FROM TWO SEPARATE STORAGE TANKS DUE TO THE HURRICAN HARVEY. THE CALLER STATED THAT THE CRUDE OIL TANK IS A STEEL SHELL WITH A 436 BARREL MAX CAPACITY TANK AND THE PRODUCE WATER TANK IS A FIBERGLASS SHELL WITH A 210		9/5/2017 8/27/2017
Bravo Assessment Required (Open)	EPA-NRC-NRC-170909-025 NAVASOTA RIVER		HEMPSTEAD	Waller	30.525556	-96.120833	1189545 DOUGLAS WATNE		9793241036 Facility	9/10/2017 Phone Assessment	Assessment Required (Open)	Non-Emergency BARREL MAX CAPACITY TANK. RP sent out oil samples for testing, awaiting results. Fire System triggered fire system to run and	No photos yet	9/6/2017
Bravo No pollution Threat (Closed) Bravo Clean Up Completed (Closed)	UCG-NRC-NRC-170902-018 Nexo Solutions UCG-NRC-NRC-170830-008 Noltex	8901 Galveston Rd 12220 Strang Road	Houston La Porte	Harris	29.633514 29.702209	-95.204775 -95.04255	1188502 Laura Burnett	713-412-5568	Facility Facility	9/2/2017 Phone Assessment Damaged - No Discharge/Releases 8/31/2017 Phone Assessment Spill	No pollution Threat (Closed) Clean Up Completed (Closed)	Non-Emergency seal ruptured. approx 127 gallons spilled awaiting samples. Non-Emergency	No photos yet No photos yet	9/2/2017 8/27/2012
												AN ESTIMATED 22.5 BARRELS OF GASOLINE DISCHARGED FROM A STORAGE TANK; DUE TO HIGH WATER ON THE ROOF OF THE TANK (CAUSE BY HEAVY PRECIPITATION FROM HURRICANE HARVEY). ALL PRODUCT IS CONTAINED ON RAINWATER IN SECONDARY CONTAINMENT. ALL	1	
Bravo Clean Up Completed (Closed)	EPA-NRC-NRC-170831-011 PHILLIPS / SECONDARY CONTAINMENT-TANK DIKE	233 N. PHILLIPS ROAD	PASADENA	HARRIS	29.714709	-95.175588	1188880		Facility	8/31/2017 Ground Assessment Damaged - Discharge/Releases	Clean Up Completed (Closed)	Non-Emergency PRODUCT RETRIEVEDCLEAN UP COMPLETE	No photos yet	8/31/2017
Bravo Assessment Required (Open)	EPA-NRC-NRC-170902-060 SECONDARY CONTAINMENT	SEE LAT/LONG	WEBSTER	HARRIS	29.521667	-95.106111	1189169		Facility	9/2/2017 Phone Assessment	Assessment Required (Open)	CALLER IS REPORTING THAT DUE TO THE HURRICANE; A STORAGE TANK ROOF TILTED AND Non-Emergency MATERIAL RELEASED FROM THE ROOF DRAIN INTO THE SECONDARY CONTAINMENT AREA. CALLER STATED THAT LUBRICATING OIL AND REFINED BASE OIL DISCHARGED ONTO CONCRETE SOIL; AND GRAVEL DUE TO FLOODING FROM HURRICANE HARVEY OVERWHELMING THE OILY	No photos yet ;	9/2/2017
Bravo Clean Up Completed (Closed) Bravo Clean Up Completed (Closed)	EPA-NRC-NRC-170831-026 Shell (Gallena Park) UCG-NRC-NRC-170830-005 US Oil Prep Group Joe Biss 724-544-4874	780 Clinton dr 200 Richey Street	Galena Park Pasadena	Harris Harris	29.7317 29.70973		1188953 1188741 Joe Biss	724-544-4874	Facility Facility	8/31/2017 Phone Assessment 9/1/2017 Phone Assessment Sheen	Clean Up Completed (Closed) Clean Up Completed (Closed)	Non-Emergency WATER SEPARATOR. Non-Emergency	No photos yet No photos yet	8/31/2017 9/8/2017
Bravo Cicari op completea (ciosca)	000 Mile Mile 170030 003 03 011 Tep droup 300 5153 724 344 4074	200 Melley Street	rusudena	Tiditis	23.70373	55.220002	1100741 300 8133	724 344 4074	racinty	3/1/2017 Thore resessment Sheen	cicum op completed (ciosed)	WATER TREATMENT FACILITY; CALLER STATED THERE WAS A SPILL OF STORM WATER ON 07SEP2017 FROM 0530 HOURS CST UNTIL 0645 HOURS CST DUE TO AN OVERFLOW CAUSED BY HEAVY RAIN IN THE AREA. STORM WATER Qty Released: 200 GALLON(S). CALLER STATED THE		3,0,2017
Bravo Discharge Identified Clean Up Not Initiated	l (Open) EPA-NRC-NRC-170909-041 US OIL RECOVERY SUPERFUND	200 N. Richey Street	Pasadena	Harris	29.715233	-95.219604	1189806 ERIC PASTOR	(512)7509582	Facility	9/9/2017 Phone Assessment Spill	Discharge Identified Clean Up Not Initiated (Open)	Non-Emergency OVERFLOW WAS STOPPED. WATER TREATMENT FACILITY; STORM WATER (0 UNKNOWN AMOUNT); LIFT STATION. CALLER STATED THERE WAS A SPILL OF STORM WATER ON 06SEP2017 AT 1100 HOURS CST UNTIL1930 HOURS CST. CALLER STATED THIS WAS DUE TO AN OVERFLOW OF A LIFT STATION AT THE FORMER WASTE WATER TREATMENT PLANT FROM HEAVY RAINS IN THE AREA. CALLER STATED	No photos yet	9/9/2017
Bravo Discharge Identified Clean Up Not Initiated	I (Open) EPA-NRC-NRC-170909-040 US OIL RECOVERY SUPERFUND	200 RICHEY STREET	PASADENA	HARRIS	29.715233	-95.219604	1189805 ERIC PASTOR	(512)7509582	Facility	9/9/2017 Phone Assessment Spill	Discharge Identified Clean Up Not Initiated (Open)	Non-Emergency THEY STOPPED THE OVERFLOW. THIS IS AN UPDATE TO INCIDENT REPORT NUMBER 1188977 AND INCIDENT REPORT NUMBER 1189014. CALLER STATED THE SPILL HAS NOW REACHED A WATERWAY (DITCH NEXT TO THE FACILITY AND THE HOUSTON SHIP CHANNEL). PREVIOUS INCIDENT DESCRIPTION: ****THIS IS CORRECTION TO NRC REPORT # 1188977**** CORRECTION: THE AMOUNT OF RELEASED "GASOLINE TYPE PRODUCT" IS NOW 1000 BARRELS INSTEAD OF "UNKNOWN" ACCORDING TO	No photos yet	9/9/2017
Bravo Clean Up in Progress (Open)	EPA-NRC-NRC-170903-054	12901 American Petroleum rd	Houston	Harris	29.74138	-95.21034 1189206, 1189014, 11889	977		Facility	9/8/2017 Phone Assessment Spill	Clean Up in Progress (Open)	THE GAS GAUGES. THE INCIDENT CAUSE IS "FLOOD" INSTEAD OF "UNKNOWN". ORIGINAL: THE Non-Emergency RP IS REPORT!	E No photos yet	9/1/2017
Charlie Assessment Required (Open)	EPA-NRC-170831-012 / SOIL	325 PINE STREET	PORT NECHES	S JEFFERSON	29.976162	-93.934714	1188967		Facility	8/31/2017 Phone Assessment	Assessment Required (Open)	CALLER STATED THAT 1 BARREL OF CRUDE OIL DISCHARGED INTO SECONDARY CONTAINMENT Non-Emergency DUE TO UNKNOWN CAUSES. LUBE OIL DISCHARGED FROM APPROX. SIX CAS ENCINES THAT COT BUSHED OUT OF THE	No photos yet	8/31/2017
Charlie Assessment Required (Open)	EPA-NRC-NRC-170909-011 DRAINAGE DITCH	1051 HWY 365	PORT ARTHUI	R JEFFERSON	29.93124	-94.009558	1189638 RUBEN HERRERA		2817538367 Facility	9/6/2017 Phone Assessment	Assessment Required (Open)	LUBE OIL DISCHARGED FROM APPROX. SIX GAS ENGINES THAT GOT PUSHED OUT OF THE Non-Emergency PROCESSING FACILITY AS A RESULT OF HURRICANE HARVEY. THE CALLER IS REPORTING THAT HURRICANE HARVEY FLOODED A LIFT STATION. THE CALLER STATES THAT THERE WAS OIL IN MOTORS WITHIN THE LIFT STATION; BUT IT IS UNKNOWN IF A	No photos yet	9/7/2017
Charlie Assessment Required (Open)	EPA-NRC-NRC-170909-015 FLOOD WATERS		BEAUMONT	JEFFERSON	30.162603	-94.156516	1189466 TERRY CORBETT		9366760021 Facility	9/5/2017 Phone Assessment	Assessment Required (Open)	Non-Emergency DISCHARGE OCCURRED.	No photos yet	9/5/2017
												CALLER STATED DUE TO HURRICANE HARVEY; THE FLOOD WATERS COVERED FOUR LARGE ENGINES THAT CONTAINED A TOTAL OF 1500 GALLONS OF ENGINE OIL THAT ARE CONNECTED TO PUMPS. CALLER STATED THE AMOUNT OF ENGINE OIL RELEASED INTO THE FLOOD WATERS		
Charlie Assessment Required (Open)	EPA-NRC-NRC-170909-031 PINE ISLAND BAYOU	C450 + 1155	BEAUMONT		30.178746		1189652 TERRY CORBETT		9366760021 Facility	9/10/2017 Phone Assessment	Assessment Required (Open)	Non-Emergency AND VEGETATION IS UNKNOWN AT THIS TIME. Assessment record added to capture branch in CALLER IS REPORTING A POLE MOUNTED TRANSFORMER WAS KNOCKED DOWN BY HURRICANE HARVEY; RESULTING IN A DISCHARGE OF TRANSFORMER OIL. IT IS UNKNOWN IF THE OIL		9/7/2017
Charlie Assessment Required (Open)	EPA-NRC-NRC-170829-063 STORM DRAIN//GROUND	6150 MIRE STREET	GROVES	JEFFERSON	29.93887	-93.908//8	1188711		Facility	8/29/2017 Phone Assessment	Assessment Required (Open)	Non-Emergency CONTAINED PCB'S.	No photos yet	8/29/2017

Non-Emergency CONTAINED PCB'S.